


# Specification Control Drawing


## Raychem

a) Part as supplied

222D953-\*-G03



b) Part after unrestricted recovery



DIMENSIONS in millimetres (in inches, for reference)

	H	+		J	P	R	S	T	JO	HW	JW
Part No.	Min	Max	Min	Max	±10%	±10%	±10%	±10%	REF	±20%	±20%
	а	b	а	b	b	b	b	b	b	b	b
222D953-*-G03	34 {1.34}	26.0 {1.02}	8.0 {0.31}	3.1 {0.12}	66 {2.60}	19 {0.75}	3.0 {0.12}	1.0 {0.04}	20 (0.79)	1.8 {0.07}	1.1 {0.04}
					#				#		

This is a trimmed variant
Modified dimensions are shown thus:- #

Copyright (!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY. Checked Issue 3 Date December 2006 Conforms to ISO Recommendations 3rd Angle Projection

Approval Design


sign MKTG.

Q.A.

And Angle Projection
Not to Scale

Raychem Specific Control			ation $\begin{array}{c c} & & & & \\ & & & & \\ & & & & \\ \hline \textbf{Drawing} & & & \\ \end{array}$			
Iss.	Date	E.C.R. No.	Deta	ails of Change		
3 D	April 1990 lecember 2006 lecember 2006	**** CR06-DM-104 CR06-HM-012		erial description name changed Il dimensions added		

### (Ordering Information)



#### COMPATIBILITY CHART

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	/42 ,/86, /180
-4	POLYOLEFIN, FLEXIBLE	RT-1304 RT-1050	/42 ,/86, /180
-6	SILICON	RT-602, RK-6706	N/A
-12	FLUOROELASTOMER, FLEXIBLE	RT-1312, RW-2071	/225
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/42, /86, /225
-100	ZERO HALOGEN	RT-1323, RK-6717	/86, /180
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

#### NOTES

1) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Faraday Road,	Tyco Electronics Corporation 300, Constitution Drive, Menlo Park, CA 94025			
England	USA Telephone (650) 361–3860 Fax: (650) 361–5579			
Cage Code K1010	Cage Code 06090			