Thermofit Molded Parts Specification Control Drawing


Part Number : 522A013

Description: Boot, 90°, Four Entry

NOTES

1. All dimensions are in $\frac{\text{incnes}}{[\text{millimeters}]} \frac{...}{[\text{grams}]}$

- 2. Dimensions appearing in table are as follows:
 - a As Supplied
 - b After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.
- Molding ports are optional. When -00 modification number is specified molding ports will be located as shown.
- 5. Weight shown in table of dimensions is based on polyolefin part.






TABLE OF DIMENSIONS														
PART NUMBER	Н		J,K,L & N		Р	R	JO	HW	JW	s	Т	С	Weight	This Boot Fits
	Min	Max	Min	Max	±10%	±10%	±10%	±20%	±20%	±10%	±10%	±5*	Nom	MIL-C-26482
	a	b	a	ь	ь	ь	ь	ь	ь	ь	ь	ь	b	Shell Size
522A013	1.00 [25,4]	.87 [22,1]	.29 [7,4]	<u>.16</u> [4,1]	2.05 [52,1]	1.50 [38,1]	.92 [23,4]	.06 [1,5]	.05 [1,3]	1.62 [41,1]	1.22 [31,0]	90.	.019 [8,6]	14

Raychem

RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025 (415) 361-6055

Revision: B Date: 06/27/91 Part Number :

522A013

Description: Boot, 90°, Four Entry


Thermofit Molded Parts Specification Control Drawing

Part Number : 522A013

Description: Boot, 90°, Four Entry

COMPATABILITY CHART									
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION				
-3	Polyolefin, Semi-rigid	RT-301	N/A						
-12	*VITON, Flexible	RT-1312	N/A						

*VITON is a Registered Trademark of Dupont



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION



RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025 (415) 361-6055

Revision: B

Date: 06/27/91

522A013 Part Number :

Description: Boot, 90°, Four Entry

CAD FILE MP91159