

# Housing - HC-D 7-KML-61/O1M20/PA BK - 1413718

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

HEAVYCON D7 coupling housing, with single locking latch, height: 60.5 mm, with 1 x M20 gland, PA

Í

## Key Commercial Data

Packing unit	1 STK
Custom tariff number	85389099
Country of origin	Germany

## Technical data

#### Dimensions

Height 60.5 mm		
Ambient conditions		
Degree of protection	IP54 / IP65 with sealing screw	
Ambient temperature (operation)	-40 °C 125 °C	

#### General

Note	For contact inserts HC-D7, D8, A3, A4, B5, HS2-D7		
Туре	D7		
Degree of protection	IP54 / IP65 with sealing screw		
Locking type	With single locking latch		
Type of the screw connection	1x M20		
Pg screw connection	none		
Cable exit	straight		
Housing material	Polyamide		



# Housing - HC-D 7-KML-61/O1M20/PA BK - 1413718

## Technical data

### General

Ambient temperature (operation)

-40 °C ... 125 °C

# Drawings

Dimensional drawing



#### Height h = 61 mm

## Classifications

eCl@ss

eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 8.0	27440202
eCl@ss 9.0	27440202

## ETIM

ETIM 5.0	EC000437

## Approvals

Approvals

Approvals		
EAC / GL		
Ex Approvals		
Approvals submitted		



# Housing - HC-D 7-KML-61/O1M20/PA BK - 1413718

## Approvals

### Approval details

EAC

GL

#### Accessories

Accessories

Full screw connection

Cable gland - G-INS-M20-S68N-PNES-GY - 1411125



Cable gland, Cable gland material: Polyamide 6, External cable diameter 6 mm ... 12 mm, Shielding: No, Connecting thread: M20, Color: silver-gray RAL 7001

Cable gland - G-INS-M20-S68N-PNES-BK - 1411133



Cable gland, Cable gland material: Polyamide 6, External cable diameter 6 mm ... 12 mm, Shielding: No, Connecting thread: M20, Color: jet black RAL 9005

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com